

# **UDDERGOLD DRY**

## **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : UDDERGOLD DRY

Other means of identification : not applicable

Recommended use : Teat dip

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Inc.

370 N. Wabasha Street

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency telephone : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 08/05/2014

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Flammable liquids : Category 2 Eye irritation : Category 2A

Specific target organ systemic toxicity - single

exposure

: Category 3 (Central nervous system)

#### **GHS Label element**

Hazard pictograms





Signal Word : Danger

Hazard Statements : Highly flammable liquid and vapor.

Causes serious eye irritation. May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:** 

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/ eye protection/ face protection.

Response:

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a

911061 1 / 9

## UDDERGOLD DRY

POISON CENTER or doctor/ physician if you feel unwell. If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store in

a well-ventilated place. Keep cool. Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical Name CAS-No. Concentration (%)

 ethanol
 64-17-5
 30 - 60

 ethyl acetate
 141-78-6
 5 - 10

 triclosan
 3380-34-5
 0.1 - 1

## **SECTION 4. FIRST AID MEASURES**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention.

In case of skin contact : Rinse with water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

See toxicological information (Section 11)

# **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

: Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Beware of vapors accumulating to form explosive concentrations.

Vapors can accumulate in low areas.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

911061 2/9

## UDDERGOLD DRY

for fire-fighters

Special protective equipment : Use personal protective equipment.

Specific extinguishing

methods

: Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in

accordance with local regulations. In the event of fire and/or explosion

do not breathe fumes.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach

a waterway.

## **SECTION 7. HANDLING AND STORAGE**

: Avoid contact with skin and eyes. Do not breathe dust/ fume/ gas/ Advice on safe handling

mist/ vapors/ spray. Use only with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic

vapors). Wash hands thoroughly after handling.

Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-

ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled

containers.

Storage temperature : 0 °C to 35 °C

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z1
ethyl acetate	141-78-6	TWA	400 ppm	ACGIH
		TWA	400 ppm 1,400 mg/m3	NIOSH REL
		TWA	400 ppm 1,400 mg/m3	OSHA Z1

911061 3/9

## UDDERGOLD DRY

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

### Personal protective equipment

Eye protection : Safety glasses with side-shields

Hand protection : No special protective equipment required.

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash face, hands and any exposed skin thoroughly after

handling.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid
Color : orange
Odor : slight

pH : not applicable

Flash point : 17 °C open cup, Sustains combustion

Odor Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and

boiling range

: > 35 °C

Evaporation rate : no data available
Flammability (solid, gas) : no data available
Upper explosion limit : no data available
Lower explosion limit : no data available
Vapor pressure : no data available
Relative vapor density : no data available

Relative density : 0.9

Water solubility : partly soluble
Solubility in other solvents : no data available
Partition coefficient: n- : no data available

octanol/water

nnerature : no data available

Autoignition temperature : no data available
Thermal decomposition : no data available
Viscosity, kinematic : no data available
Explosive properties : no data available
Oxidizing properties : no data available
Molecular weight : no data available
VOC : no data available

## **SECTION 10. STABILITY AND REACTIVITY**

911061 4 / 9

## UDDERGOLD DRY

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : None known.

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

## SECTION 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

Eyes : Causes serious eye irritation.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation Inhalation may cause central nervous system effects.

Chronic Exposure : Health injuries are not known or expected under normal use.

## **Experience with human exposure**

Eye contact : Redness, Irritation

Redness, Pain, Irritation

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : Dizziness, Drowsiness

**Toxicity** 

Acute oral toxicity : no data available Acute inhalation toxicity : no data available Acute dermal toxicity : no data available Skin corrosion/irritation : no data available

Serious eye damage/eye

irritation

: no data available

Respiratory or skin

sensitization

: no data available

Carcinogenicity

911061 5/9

## UDDERGOLD DRY

IARC No component of this product present at levels greater than or equal

to 0.1% is identified as probable, possible or confirmed human

carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or equal to

0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP No ingredient of this product present at levels greater than or equal to

0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive effects : no data available
Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT-single exposure : no data available
STOT-repeated exposure : no data available
Aspiration toxicity : no data available

Ingredients

Acute oral toxicity : ethanol

LD50 rat: 10,470 mg/kg

triclosan

LD50 rat: > 5,000 mg/kg

Ingredients

Acute inhalation toxicity : ethanol

4 h LC50 rat: 117 mg/l

triclosan

4 h LC50 rat: 0.65 mg/l

Ingredients

Acute dermal toxicity : ethanol

LD50 rabbit: 15,800 mg/kg

triclosan

LD50 rabbit: > 6,000 mg/kg

# **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

Environmental Effects : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

Ingredients

Toxicity to fish : ethanol

96 h LC50 Fish: 11,000 mg/l

911061 6 / 9

## UDDERGOLD DRY

## Persistence and degradability

no data available

## **Bioaccumulative potential**

no data available

### Mobility in soil

no data available

#### Other adverse effects

no data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not re-

use empty containers.

RCRA - Resource : D001 (Ignitable)

Conservation and Recovery Authorization Act Hazardous

waste

## **SECTION 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

## Land transport (DOT)

UN number : 1866

Description of the goods : Resin solution

Class : 3
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 1866

Description of the goods : RESIN SOLUTION

Class : 3
Packing group : II
Marine pollutant : no

## **SECTION 15. REGULATORY INFORMATION**

## **EPCRA - Emergency Planning and Community Right-to-Know**

## **CERCLA Reportable Quantity**

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
ethyl acetate	141-78-6	5000	55556

911061 7/9

## UDDERGOLD DRY

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : SARA 313: This material does not contain any chemical components

with known CAS numbers that exceed the threshold (De Minimis)

reporting levels established by SARA Title III, Section 313.

#### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## The ingredients of this product are reported in the following inventories:

## 1907/2006 (EU):

not determined

#### Switzerland. New notified substances and declared preparations:

On the inventory, or in compliance with the inventory

## **United States TSCA Inventory:**

On TSCA Inventory

### Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL.

#### Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

## New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

## Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

## Japan. ISHL - Inventory of Chemical Substances (METI) :

On the inventory, or in compliance with the inventory

#### Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

# Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

### China. Inventory of Existing Chemical Substances in China (IECSC):


On the inventory, or in compliance with the inventory

## **SECTION 16. OTHER INFORMATION**

911061 8/9

# **UDDERGOLD DRY**

## NFPA:



#### HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Issuing date : 08/05/2014

Version : 1.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

911061 9 / 9