

Page: 1 of 6 Printed: 04/24/2024 Revision: 04/19/2024

Supersedes Revision: 10/19/2015

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: IBAINC-112-BULK

Product Name: Step Up

Company Name: IBA, Inc. Phone Number:

103 Gilmore Drive +1 (508)865-6911

Sutton, MA 01590

Emergency Contact: CHEMTREC +1 (800)424-9300

2. HAZARDS IDENTIFICATION

Skin Corrosion, Category 1B Acute Toxicity: Oral, Category 4 Serious Eye Damage, Category 1 Corrosive To Metals, Category 1





GHS Signal Word: Danger

GHS Hazard Phrases: Causes severe skin burns and eye damage.

Harmful if swallowed.

May be corrosive to metals.

GHS Precautionary Phrases: Keep out of reach of children.

Read label before use.

Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapors/spray.

Wash hands thoroughly after handling.

Wear rubber gloves, chemical goggles, face shield and rubber apron.

Take any precaution to avoid mixing with chlorinated products.

GHS Response Phrases: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin

with plenty of water for 15 minutes.

If skin irritation occurs, get medical advice/attention.

Wash contaminated clothing before reuse.

IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position

comfortable for breathing.

If experiencing respiratory symptoms, get immediate medical attention.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing for 15 minutes.

Get immediate medical advice/attention.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Get immediate medical advice/attention.

GHS Storage and Disposal

Store locked up.

Phrases: Store in corro

Store in corrosive resistant/... container with a resistant inner liner.

Dispose of contents/container to in accordance to local, state, and federal regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.



Page: 2 of 6
Printed: 04/24/2024
Revision: 04/19/2024

Supersedes Revision: 10/19/2015

Inhalation: Harmful if inhaled. Causes chemical burns to the respiratory tract. Material is extremely

destructive to the tissue of the mucous membranes and upper respiratory tract.

Skin Contact: Causes skin burns. Harmful if absorbed through the skin.

Eye Contact: Causes serious eye damage. Causes severe eye burns. May cause permanent corneal

opacification.

Ingestion: Harmful if swallowed. May cause severe and permanent damage to the digestive tract.

Causes gastrointestinal tract burns.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS # Hazardous Components (Chemical Name) Concentration
7664-38-2 Phosphoric acid 5.0 -10.0 %
7664-93-9 Sulfuric acid 10.0 -15.0 %
68131-39-5 Ethoxylated linear alcohol < 5.0 %

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. Get medical aid immediately.

In Case of Skin Contact: Flush skin with plenty of water for at least 15 minutes while removing contaminated

clothing and shoes. Wash off with soap and plenty of water. Wash clothing before reuse.

Get medical aid immediately.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Get

immediate medical advice/attention.

In Case of Ingestion: Do NOT induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of water. Get

medical attention immediately. Never give anything by mouth to an unconscious person.

Rinse mouth with water.

Note to Physician: Treat symptomatically and supportively. Show this safety data sheet to the doctor in

attendance.

5. FIRE FIGHTING MEASURES

Flash Point: No data.

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: No data.

Suitable Extinguishing Media:For large fires, apply water from as far as possible. Use very large quantities (flooding) of

water applied as a mist or spray; solid streams of water may be ineffective. Cool all

affected containers with flooding quantities of water.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Use water spray to

keep fire-exposed containers cool.

Flammable Properties and

Hazards:

No data available.

Hazardous Combustion

Phosphine, oxides of phosphorus, oxides of sulfur, carbon monoxide, carbon dioxide,

Products: irritating and toxic fumes and gases.



Page: 3 of 6 Printed: 04/24/2024 Revision: 04/19/2024

Supersedes Revision: 10/19/2015

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures:

Use proper personal protective equipment as indicated in Section 8.

Environmental Precautions:

Observe all federal, state, and local environmental regulations.

Steps To Be Taken In Case

Material Is Released Or Spilled:

Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable

container. Avoid breathing vapors, mist or gas.

7. HANDLING AND STORAGE

Precautions To Be Taken in

Handling:

Use with adequate ventilation. Keep container tightly closed. Avoid contact with skin and eyes. Avoid ingestion and inhalation. Avoid breathing dust, vapor, mist, or gas. Wash

thoroughly after handling.

Precautions To Be Taken in

Storing:

Store in a cool, dry, well-ventilated area away from incompatible substances. Keep

container closed when not in use.

Other Precautions: Handle in accordance with good industrial hygiene and safety practice.

EXPOSURE CONTROLS/PERSONAL PROTECTION 8.

| CAS# | Partial Chemical Name | OSHA TWA | ACGIH TWA | Other Limits |
|------------|----------------------------|--------------|-----------------------------------|--------------|
| 7664-38-2 | Phosphoric acid | PEL: 1 mg/m3 | TLV: 1 mg/m3 STEL: 3 mg/m3 | No data. |
| 7664-93-9 | Sulfuric acid | PEL: 1 mg/m3 | TLV: (1 mg/m3) STEL: (3 mg/m3) | No data. |
| 68131-39-5 | Ethoxylated linear alcohol | No data. | No data. | No data |

Respiratory Equipment

(Specify Type):

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace

conditions warrant respirator use.

Eye Protection: Wear chemical splash goggles.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Rubber or neoprene

gloves.

Other Protective Clothing:

Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and

a safety shower. Use adequate general or local exhaust ventilation to keep airborne

concentrations below the permissible exposure limits.

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States: [X] Liquid [] Solid [] Gas

Appearance and Odor: Blue Liquid Transparent.

No apparent odor.

No data. pH: **Melting Point:** No data. **Boiling Point:** No data. Flash Point: No data. No data. **Evaporation Rate:**

Flammability (solid, gas): No data available.



Page: 4 of 6 Printed: 04/24/2024 Revision: 04/19/2024

Supersedes Revision: 10/19/2015

UEL: No data. **Explosive Limits:** LEL: No data.

No data. Vapor Pressure:

Vapor Density (vs. Air=1): No data.

1.137 - 1.157 Specific Gravity (Water=1):

No data. Solubility in Water:

Saturated Vapor

No data.

Concentration:

Octanol/Water Partition

Coefficient:

No data.

Autoignition Pt: No data. No data. Decomposition

Temperature:

Viscosity: No data.

10. STABILITY AND REACTIVITY

Unstable [] Stability: Stable [X]

Conditions To Avoid -

Extremes of temperature and direct sunlight. Incompatible materials.

Instability:

Incompatibility - Materials To Strong oxidizing agents, chlorine, Strong reducing agents, Strong bases, Metals.

Avoid:

Hazardous Decomposition or Phosphine, oxides of phosphorus, oxides of sulfur, carbon monoxide, carbon dioxide,

Byproducts:

irritating and toxic fumes and gases.

Possibility of Hazardous

Reactions:

Will occur [] Will not occur [X]

Conditions To Avoid -

No data available.

Hazardous Reactions:

11. TOXICOLOGICAL INFORMATION

Toxicological Information: Epidemiology: No data available.

Teratogenicity: No data available.

Reproductive Effects: No data available.

Mutagenicity: No data available. Neurotoxicity: No data available.

CAS# 7664-38-2: Phosphoric acid: Acute toxicity, LD50, Oral, Rat, 1530. MG/KG. CAS# 7664-93-9: Sulfuric acid: Acute toxicity, LD50, Oral, Rat, 2140. MG/KG.

Acute toxicity, LC50, Inhalation, Rat, 510.0 MG/M3, 2 H.

CAS# 68131-39-5: Ethoxylated linear alcohol: Acute toxicity, LD50, Dermal, Rat, 5000.

MG/KG.

Acute toxicity, LD50, Oral, Rat, 1650. MG/KG.

Carcinogenicity: NTP? Yes IARC Monographs? Yes OSHA Regulated? Yes



Printed: 04/24/2024 Revision: 04/19/2024

Page: 5 of 6

Supersedes Revision: 10/19/2015

12. ECOLOGICAL INFORMATION

General Ecological Environmental: No information available. **Information:** Physical: No information available.

CAS# 68131-39-5: Ethoxylated linear alcohol: LC50, Fathead Minnow (Pimephales

promelas), 1.300 MG/L, 144 H, Mortality.

Persistence and

Degradability:

No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified

as a hazardous waste.

US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations

to ensure complete and accurate classification.

Observe all federal, state, and local environmental regulations.

Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric Acid, Phosphoric Acid)

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN3264 Packing Group: II



15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

| CAS# | Hazardous Components (Chemical Name) | S. 302 (EHS) | S. 304 RQ | S. 313 (TRI) |
|------------|--------------------------------------|--------------|-----------|--------------|
| 7664-38-2 | Phosphoric acid | No | Yes NA | No |
| 7664-93-9 | Sulfuric acid | Yes 1000 LB | Yes NA | Yes |
| 68131-39-5 | Ethoxylated linear alcohol | No | No | No |

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

| [] Yes [X] No | Explosive | [X] Yes [] No | Acute toxicity (any route of exposure) | | |
|----------------|---|----------------|--|--|--|
| [] Yes [X] No | Flammable (gases, aerosols, liquid, or solid) | [X] Yes [] No | Skin Corrosion or Irritation | | |
| [] Yes [X] No | Oxidizer (liquid, solid or gas) | [X] Yes [] No | Serious eye damage or eye irritation | | |
| [] Yes [X] No | Self-reactive | [] Yes [X] No | Respiratory or Skin Sensitization | | |
| [] Yes [X] No | Pyrophoric (liquid or solid) | [] Yes [X] No | Germ cell mutagenicity | | |
| [] Yes [X] No | Pyrophoric gas | [] Yes [X] No | Carcinogenicity | | |
| [] Yes [X] No | Self-heating | [] Yes [X] No | Reproductive toxicity | | |
| [] Yes [X] No | Organic peroxide | [] Yes [X] No | Specific target organ toxicity (single or repeated exposure) | | |
| [X] Yes [] No | Corrosive to metal | [] Yes [X] No | Aspiration Hazard | | |
| [] Yes [X] No | Gas under pressure (compressed gas) | [] Yes [X] No | Simple Asphyxiant | | |
| [] Yes [X] No | In contact with water emits flammable gas | [] Yes [X] No | (Health) Hazard Not Otherwise Classified (HNOC) | | |
| | | | | | |



Page: 6 of 6 Printed: 04/24/2024 Revision: 04/19/2024

Supersedes Revision: 10/19/2015

[] Yes [X] No Combustible Dust

[] Yes [X] No (Physical) Hazard Not Otherwise Classified (HNOC)

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

7664-38-2 Phosphoric acid CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No;

MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NJ EHS: No;

NY Part 597: Yes: HS; PA HSL: Yes - E

7664-93-9 Sulfuric acid CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No;

MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NJ EHS: Yes -

1761; NY Part 597: Yes: HS; PA HSL: Yes - E

68131-39-5 Ethoxylated linear alcohol CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No;

MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY

Part 597: No; PA HSL: No

16. OTHER INFORMATION

Revision Date: 04/19/2024 **Previous revision:** 10/19/2015

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

While IBA Inc. believes the statements set forth herein are accurate as of the date hereof, IBA Inc. makes no warranty with respect thereto and expressly disclaims all

liability for reliance thereon. Such data is offered solely for your consideration,

investigation, and verification.