

SAFETY DATA SHEET

Task Force Part A

Page: 1 of 6

Printed: 04/24/2024

Revision: 04/19/2024

Supersedes Revision: 10/21/2015



1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: IBAINC-171100
Product Name: Task Force Part A
Company Name: IBA, Inc.
103 Gilmore Drive
Sutton, MA 01590
Phone Number: +1 (508)865-6911
Emergency Contact: CHEMTREC +1 (800)424-9300

2. HAZARDS IDENTIFICATION

Skin Corrosion, Category 1A
Acute Toxicity: Oral, Category 4
Eye Irritation, Category 2A
Corrosive To Metals, Category 1



GHS Signal Word: **Danger**

GHS Hazard Phrases: Harmful if swallowed.
Causes severe skin burns and eye damage.
May be corrosive to metals.

GHS Precautionary Phrases: Keep out of reach of children.
Read label before use.
Do not get in eyes, on skin, or on clothing.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wear rubber gloves, chemical goggles, face shield and rubber apron.
Take any precaution to avoid mixing with acid products and ammoniated products.

GHS Response Phrases: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with plenty of water for 15 minutes.
If skin irritation occurs, get medical advice/attention. Wash contaminated clothing before reuse.
IF INHALED: If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms, get immediate medical attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for 15 minutes. Get immediate medical advice/attention.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get immediate medical advice/attention.

GHS Storage and Disposal Phrases: Store locked up.
Dispose of contents/container to in accordance with local, state, and federal regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

SAFETY DATA SHEET

Task Force Part A

Page: 2 of 6

Printed: 04/24/2024

Revision: 04/19/2024

Supersedes Revision: 10/21/2015



Inhalation:	Inhalation may cause irritation, coughing, sore throat, and in extreme cases, pulmonary edema. Inhalation of vapors may cause drowsiness and dizziness.
Skin Contact:	May cause severe burns with delayed tissue destruction. May cause skin irritation. Causes redness and pain.
Eye Contact:	May cause eye irritation. Causes severe eye burns. May cause irreversible eye injury. Causes redness and pain.
Ingestion:	May cause severe and permanent damage to the digestive tract. Causes severe pain, nausea, vomiting, diarrhea, and shock.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
1310-73-2	Sodium hydroxide	20.0 -30.0 %
1310-58-3	Potassium hydroxide	10.0 -15.0 %

4. FIRST AID MEASURES

Emergency and First Aid Procedures:	Remove from exposure and move to fresh air immediately.
In Case of Inhalation:	Remove from exposure and move to fresh air immediately. Get medical aid immediately. Do NOT use mouth-to-mouth resuscitation.
In Case of Skin Contact:	Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately. Wash clothing before reuse.
In Case of Eye Contact:	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical aid immediately.
In Case of Ingestion:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. If victim is conscious and alert, give 2-4 cupfuls of water. Get medical attention immediately.
Note to Physician:	Treat symptomatically and supportively.

5. FIRE FIGHTING MEASURES

Flash Point:	NA
Explosive Limits:	LEL: None UEL: None
Autoignition Pt:	NA
Suitable Extinguishing Media:	For small fires, use dry chemical, carbon dioxide, water spray or alcohol-resistant foam. For large fires, use water spray, fog, or alcohol-resistant foam. Use water spray to cool fire-exposed containers. Do NOT use straight streams of water.
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Use water spray to keep fire-exposed containers cool. Toxic fumes may be emitted under fire conditions.
Flammable Properties and Hazards:	Contact with metals may evolve flammable hydrogen gas.
Hazardous Combustion Products:	No data available.



6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures:	Use proper personal protective equipment as indicated in Section 8.
Environmental Precautions:	Observe all federal, state, and local environmental regulations. Do not let product enter drains, sewers, watersheds or water systems.
Steps To Be Taken In Case Material Is Released Or Spilled:	Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Do not let product enter drains. Discharge into the environment must be avoided.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:	Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Wash thoroughly after handling. Use only in a well ventilated area. Keep container tightly closed.
Precautions To Be Taken in Storing:	Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Keep away from acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1310-73-2	Sodium hydroxide	PEL: 2 mg/m ³	CEIL: 2 mg/m ³	No data.
1310-58-3	Potassium hydroxide	PEL: 2.0 mg/m ³	CEIL: 2 mg/m ³	No data.

Respiratory Equipment (Specify Type):	If vapor concentration exceeds ACGIH-TLV or OSHA-PEL, use NIOSH/MSHA approved respirator with an organic vapor cartridge.
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure. Rubber or neoprene gloves.
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure.
Engineering Controls (Ventilation etc.):	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	Yellow. Liquid. Transparent.
pH:	12.5
Melting Point:	NP
Boiling Point:	NA
Flash Point:	NA
Evaporation Rate:	Not available
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: None UEL: None
Vapor Pressure:	Not available

SAFETY DATA SHEET

Task Force Part A

Page: 4 of 6

Printed: 04/24/2024

Revision: 04/19/2024

Supersedes Revision: 10/21/2015



Vapor Density (vs. Air=1):	Not available
Specific Gravity (Water=1):	1.375 - 1.395
Solubility in Water:	100%
Saturated Vapor Concentration:	Not available
Octanol/Water Partition Coefficient:	No data.
Autoignition Pt:	NA
Decomposition Temperature:	NA
Viscosity:	Not available

10. STABILITY AND REACTIVITY

Stability:	Unstable [<input type="checkbox"/>] Stable [<input checked="" type="checkbox"/>]
Conditions To Avoid - Instability:	Avoid extremely high temperature. Direct sunlight.
Incompatibility - Materials To Avoid:	Acids, Strong oxidizing agents. Contact of this product with many "active" metals such as aluminum, tin, copper, zinc, and most alloys can cause formation of flammable hydrogen gas.
Hazardous Decomposition or Byproducts:	Hazardous decomposition products formed under fire conditions: Toxic fumes of sodium oxide, hydrogen gas, oxides of potassium.
Possibility of Hazardous Reactions:	Will occur [<input type="checkbox"/>] Will not occur [<input checked="" type="checkbox"/>]
Conditions To Avoid - Hazardous Reactions:	No data available.

11. TOXICOLOGICAL INFORMATION

Toxicological Information:	Epidemiology: No data available. Reproductive Effects: No data available. Mutagenicity: No data available. Neurotoxicity: No information found. Teratogenicity: No information available.
----------------------------	---

CAS# 1310-73-2: Sodium hydroxide: Acute toxicity, LD50, Oral, Rat, 325.0 MG/KG.
CAS# 1310-58-3: Potassium hydroxide: Acute toxicity, LD50, Oral, Rat, 273.0 MG/KG.

Carcinogenicity:	NTP? No IARC Monographs? No OSHA Regulated? No
------------------	--

SAFETY DATA SHEET

Task Force Part A



12. ECOLOGICAL INFORMATION

General Ecological Information:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.

CAS# 1310-73-2: Sodium hydroxide: LC50, Western Mosquitofish (*Gambusia affinis*), adult(s), 125000. UG/L, 24 H, Mortality.

LC50, Goldfish (*Carassius auratus*), 160000. UG/L, 24 H, Mortality.

CAS# 1310-58-3: Potassium hydroxide: LC50, Western Mosquitofish (*Gambusia affinis*), adult(s), 80000. UG/L, 96 H, Mortality.

Persistence and Degradability:

No data available.

Bioaccumulative Potential:

No data available.

Mobility in Soil:

No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Dispose of contents/containers in accordance with local / regional / national / international regulations.

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Corrosive liquid, basic, inorganic, n.o.s. (Potassium Hydroxide, Sodium Hydroxide)

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN3266

Packing Group: II



15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1310-73-2	Sodium hydroxide	No	Yes NA	No
1310-58-3	Potassium hydroxide	No	Yes NA	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Explosive	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Acute toxicity (any route of exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Flammable (gases, aerosols, liquid, or solid)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Skin Corrosion or Irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Serious eye damage or eye irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-reactive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Respiratory or Skin Sensitization
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric (liquid or solid)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Germ cell mutagenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Carcinogenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-heating	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Reproductive toxicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Organic peroxide	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Specific target organ toxicity (single or repeated exposure)
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Corrosive to metal	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Aspiration Hazard
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Gas under pressure (compressed gas)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Simple Asphyxiant
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	In contact with water emits flammable gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	(Health) Hazard Not Otherwise Classified (HNOC)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Combustible Dust		
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	(Physical) Hazard Not Otherwise Classified (HNOC)		

SAFETY DATA SHEET

Task Force Part A



CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1310-73-2	Sodium hydroxide	CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NJ EHS: No; NY Part 597: Yes: HS; PA HSL: Yes - E
1310-58-3	Potassium hydroxide	CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NJ EHS: No; NY Part 597: Yes: HS; PA HSL: Yes - E

Regulatory Information

Statement:

16. OTHER INFORMATION

Revision Date: 04/19/2024 **Previous revision:** 10/21/2015

Additional Information About This Product: Quaternary ammonium compounds,benzyl-C12-16-alkyldimethyl, chlorides

Company Policy or Disclaimer: While IBA Inc. believes the statements set forth herein are accurate as of the date hereof, IBA Inc. makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.